

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : DEFOAMER 170
Revision date : 22.06.2017
Print date : 16-11-2017

Version (Revision) : 105.0.1 (105.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

DEFOAMER 170

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product Categories [PC]

PC37 - Water treatment chemicals

Uses advised against

This product shall not be available to the general public/consumers as such. This product is not recommended for applications either than the above-identified uses.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

Kluthe Benelux BV

Street : Produktieweg 8

Postal code/city : NL 2404 CC ALPHEN A/D RIJN

Telephone : +31 (0)172 - 516000

Telefax : +31 (0)172 - 439494

E-mail (competent person) : sds@kluthe.nl

1.4 Emergency telephone number

NL - Nationaal Vergiftigingen Informatie Centrum NVIC - Bilthoven + 31 30 274 88 88 (Uitsluitend bereikbaar voor een behandelend arts in geval van een accidentele vergiftiging) // BE - Antigifcentrum - Brussel + 32 70 245 245 (een arts beantwoordt uw oproep) // BE - Centre Anti-poison - Bruxelles + 32 70 245 245 (un médecin répondra à votre appel). // D - Antigifcentrum (Duitsland - Berlin) : +49 30 450 653565 // S - Swedish Poisons Information Center 112 begär Giftinformationscentralen // UK - Ricardo-AEA (UK) : +44 (0)870 190 6777 // DK - Poison Information Center Denmark +45 82 12 12 12 // AT (Austria) - Vergiftungsinformationszentrale der Gesundheit Österreich GmbH Notruf-Telefon: +43 1 406 43 43 // NO - Norwegian Environment AgencyTel: +47 73 58 05 00 //

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Asp. Tox. 1 ; H304 - Aspiration hazard : Category 1 ; May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Health hazard (GHS08)

Signal word

Danger

Hazard components for labelling

WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5

HYDROCARBONS, C11-C14, n-ALKANES, ALKANES, CYCLIC COMPOUNDS, < 2% AROMATICS (previously CAS nr 64742-47-8)

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/....

P331 Do NOT induce vomiting.

P501 Dispose of contents / container to a licensed waste processing company.

Special rules for supplemental label elements for certain mixtures

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : DEFOAMER 170
Revision date : 22.06.2017
Print date : 16-11-2017

Version (Revision) : 105.0.1 (105.0.0)

For professional use only.

2.3 Other hazards

None

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

WHITE MINERAL OIL (PETROLEUM) ; REACH registration No. : 01-2119487078-27-xxxx ; EC No. : 232-455-8; CAS No. : 8042-47-5

Weight fraction : $\geq 50 - < 100$ %
Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304

HYDROCARBONS, C11-C14, n-ALKANES, ALKANES, CYCLIC COMPOUNDS, < 2% AROMATICS (previously CAS nr 64742-47-8) ; REACH registration No. : 01-2119456620-43 ; EC No. : 926-141-6

Weight fraction : $\geq 10 - < 25$ %
Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH

None

This mixture contains the following substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH

None

Additional information

Full text of H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice. Change contaminated, saturated clothing. For further information refer to chapter 11 (Toxicological information).

Following inhalation

Remove casualty to fresh air and keep warm and at rest. After inhaling vapours, first symptoms of poisoning may develop hours later, so always consult a doctor.

In case of skin contact

Water and soap Do not wash with: Solvents/Thinner

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Keep at rest.

Self-protection of the first aider

No direct artificial respiration to be given by first aider.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam Carbon dioxide (CO2) Extinguishing powder Water mist

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : DEFOAMER 170
Revision date : 22.06.2017
Print date : 16-11-2017

Version (Revision) : 105.0.1 (105.0.0)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

None

5.3 Advice for firefighters

None

5.4 Additional information

Cool endangered containers with water in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use appropriate respiratory protection. Keep away from ignition sources on account of the organic solvent content and ventilate room. Do not inhale vapours. See protective measures under point 8 from the MSDS.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up

For cleaning up

Suitable material for diluting or neutralizing:

Other information

Clear spills immediately.

6.4 Reference to other sections

See sections 8 & 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Do not smoke, eat or drink in places where this product is used. Comply with the health and safety at work laws.

Protective measures

Do not breathe gas/fumes/vapour/spray. Wear personal protection equipment (refer to section 8 from the MSDS).

Measures to prevent fire

Vapours are heavier than air, spread along floors and form explosive mixtures with air. Keep away from sources of ignition. - No smoking.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep away from oxidizing agents, and from strong alkaline and strong acid materials.

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

Storage class : 10

Storage class (TRGS 510) : 10

Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5

Limit value type (country of origin) : Maximum limit in the atmosphere at the workplace (D)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : DEFOAMER 170
Revision date : 22.06.2017
Print date : 16-11-2017
Version (Revision) : 105.0.1 (105.0.0)

Parameter : A: respirable fraction
Limit value : 5 mg/m³
Peak limitation : 4(II)
Remark : Y
Version : 04-11-2017

HYDROCARBONS, C11-C14, n-ALKANES, ALKANES, CYCLIC COMPOUNDS, < 2% AROMATICS (previously CAS nr 64742-47-8)

Limit value type (country of origin) : Blootstellingsgrenswaarde (8uur) (EC)

Parameter : TGG 8 uur
Limit value : 1200 mg/m³ / 165 ppm
Remark : RCP-TGG
Version :

8.2 Exposure controls

Personal protection equipment

Eye/face protection

Use tightly fitting safety glasses.

Skin protection

Hand protection

Solvent-resistant protective gloves must be worn. Barrier creams may help to protect the exposed areas of the skin. They should however not be applied once exposure has occurred. There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. The breakthrough time must be greater than the end use time of the product. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material. Always ensure that gloves are free from defects and that they are stored and used correctly. The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance. Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred.

Suitable material : Butyl caoutchouc (butyl rubber)

Breakthrough time (maximum wearing time) : 30 min

Thickness of the glove material : 0,7 mm

Recommended glove articles : DIN EN 374

Body protection

Personel should wear antistatic clothings made of natural fiber or of high temperature resistant synthetic fiber. All parts of the body should be washed after contact.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. If workplace limits are exceeded, a gas mask approved for this purpose must be worn.

Suitable respiratory protection apparatus

DIN EN 12942:2009-02 Filtering device with filter or ventilator filtering device of type: A

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Colour: Light yellow

Odour: Characteristic

Safety relevant basis data

| | | | | |
|------------------------------------|--------------|---|-------------------|-------------------|
| Physical state : | | | Liquid | |
| Store frost free : | | | Yes | |
| Viscosity : | | | No data available | |
| Melting point / range : | (1013 hPa) | < | -10 | °C |
| Melting point / range : | (1013 hPa) | | no data available | |
| Boiling point / range : | (1013 hPa) | > | 150 | °C |
| Decomposition temperature : | (1013 hPa) | | No data available | Calculated |
| Freezing point : | | | | °C |
| Flash point : | | > | 200 | °C |
| Flash point : | | | Not inflammable | ASTM D 6450 |
| Density : | (20 °C) | | 0,864 - 0,894 | g/cm ³ |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : DEFOAMER 170
Revision date : 22.06.2017
Print date : 16-11-2017
Version (Revision) : 105.0.1 (105.0.0)

log P O/W : No data available
Odour threshold : No data available
Vapourisation rate : No data available
Explosive properties : No data available

9.2 Other information

Information on basic physical and chemical properties with no data available means not applicable due to the nature of the product.

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

No information available.

10.3 Possibility of hazardous reactions

No information available.

10.4 Conditions to avoid

Stable under recommended storage and handling conditions (see section 7).

10.5 Incompatible materials

Keep away from oxidizing agents, strong alkaline and strong acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, oxides of nitrogen.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

There are no data available on the preparation itself. Repeated or prolonged contact with the product may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. If the liquid splashes in the eyes it may cause irritation and reversible damage.

Acute effects

Acute oral toxicity

Parameter : LD50 (WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5)
Exposure route : Oral
Species : Rat
Effective dose : > 5000 mg/kg

Acute dermal toxicity

Parameter : LD50 (WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5)
Exposure route : Dermal
Species : Rabbit
Effective dose : > 2000 mg/kg

Acute inhalation toxicity

Parameter : LC50 (WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5)
Exposure route : Inhalation
Species : Rat
Effective dose : > 5 mg/l

SECTION 12: Ecological information

Do not empty into water courses or drains.

12.1 Toxicity

No information available.

12.2 Persistence and degradability

Biodegradation

Parameter : Biodegradation (WHITE MINERAL OIL (PETROLEUM) ; CAS No. : 8042-47-5)
Inoculum : Biodegradation

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : DEFOAMER 170
Revision date : 22.06.2017 Version (Revision) : 105.0.1 (105.0.0)
Print date : 16-11-2017

Effective dose : 31,3 %
Exposure time : 28 Dagen
Parameter : Biodegradation (HYDROCARBONS, C11-C14, n-ALKANES, ALKANES, CYCLIC COMPOUNDS, < 2% AROMATICS (previously CAS nr 64742-47-8))
Effective dose : > 69 %
Exposure time : 28 Dagen

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

None

12.8 Overall evaluation

No environmental risks of preparations are available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

In accordance with local official regulations treat in a watertreatment or discharge to a waste disposal company.

Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code (91/689/EEC) : 07 06 99

SECTION 14: Transport information

14.1 UN number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

14.8 Additional information

Inland waterway craft (ADN) : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to VwVwS

International regulatory information

This product contains max.: 88 g/l VOC

15.2 Chemical safety assessment

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : DEFOAMER 170

Revision date : 22.06.2017

Print date : 16-11-2017

Version (Revision) : 105.0.1 (105.0.0)

For this mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

None

16.2 Abbreviations and acronyms

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ABM Algemene Beoordelings Methodiek

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

AC Article category

CSR Chemical safety report

CAS Chemical Abstracts Service

CLP Classification Labelling Packaging

DIN Duitse Institut voor Normen

DMEL Derived minimum effect level

DNEL Derived No-Effect Level

DU Downstream user

DU-CSA Downstream user chemical safety assessment

ECHA European Chemicals Agency

EC50 Half maximal effective concentration

EINECS European Inventory of Existing Commercial Chemical Substances

ERC Environmental release class

ES Exposure scenario

ESD Emission scenario document

EWG European waste Catalogue

EWL European waste list

GHS Globally Harmonised System

IMDG International Maritime Dangerous Goods Code

ISO International Standards Organisation

LC50 Median lethal concentration. The concentration causing 50 % lethality

LD50 Median lethal dose. The dose causing 50 % lethality

LEL Lower Explosion Limit

NOAEL No observed adverse effect level

NOEC No observed effect concentration

NOEL No observed effect level

OC Operational condition

OEL Occupational exposure Limits

PC Chemical product category

PBT Persistent, bioaccumulative, toxic

PNEC Predicted no-effect concentration

PPE Personal protection equipment

PROC Process category

RMM Risk management measure

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

SDS Safety data sheet

STEL Short-term Exposure limit

SU Sectors of use

SVHC Substances of very high concern

UC Use category

UN United Nations

VIB Veiligheidsinformatieblad

vPvB Very persistent and very bioaccumulative

ZZS Zeer Zorgwekkende Stoffen

16.3 Key literature references and sources for data

None

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : DEFOAMER 170

Revision date : 22.06.2017

Print date : 16-11-2017

Version (Revision) : 105.0.1 (105.0.0)

H304

May be fatal if swallowed and enters airways.

16.6 Training advice

None

16.7 Additional information

We have no knowledge or control over the user's working conditions however. The user is responsible for the observance of all required statutory provisions. These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product feature and shall not establish a legally valid contractual relationship.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.
